

## NEGACOLOR™ Rinse Plus

For Processing C-41 and Compatible Color Negative Films

N

## Catalog Number: 600005641 (55 G Drum)

**DESCRIPTION**

This product is a chemical rinse and is designed for use in washless color negative processing equipment for all C-41 compatible films.

**SAFE HANDLING INSTRUCTIONS**

Please refer to Material Safety Data Sheets (MSDS) for specific chemical details. For emergencies, please contact CHEMTREC at 1-800-424-9300. You can obtain an MSDS by calling the Fujifilm Technical Hotline at 1-800-526-0851 Ext. 10.

**HMS INFORMATION**

Hazardous Materials Identification System. Please refer to Section 3 in the MSDS for further information.

	Concentrate	Replenisher & Working Tank
Health	2	1
Flammability	0	0
Reactivity	0	0
Personal Protection	C	C

**SPECS & RECOMMENDATIONS**

Temperature	24° – 41° C 75° – 105° F			
Processing Time	1'05"			
Starting Replenishment Rate (rate/roll)	135-24		APS-25	
	Cine	R&T	Cine	R&T
	33 ml	48 ml	22 ml	32 ml

**SPECIFIC GRAVITY & pH**

	pH @ 25° C	SpG @ 20° C	SpG @ 37.8° C
Replenisher Tank	8.80 ± 0.5	1.000 ± 0.003	0.994 ± 0.003
Fresh Tank	8.80 ± 0.5	1.000 ± 0.003	0.994 ± 0.003
Seasoned Tank	7.80 ± 0.5	1.001 ± 0.005	0.995 ± 0.005

**MIXING INSTRUCTIONS – REPLENISHER**

R	Water 95° – 105° F (35° – 41° C)	Concentrate
300 Gallons	297 G	3.0 G 1 Cube
1 Liter	990 ml	10 ml
1 Gallon	126.7 oz	1.3 oz

1 drum makes 20,817 L (5,500 G) of replenisher.

To Make 1 Gallon:

1. Start with 126.7 oz. of warm water.
2. Add 1.3 oz. of concentrate.
3. Mix 1 minute or until uniform.

**RINSE DRUM BEFORE DISPOSAL**

**MIXING INSTRUCTIONS – WORKING TANK**

W	Water 95° – 105° F (35° – 41° C)	Concentrate
1 Liter	990 ml	10 ml
1 Gallon	126.7 oz	1.3 oz
Tank Volume		
YOUR TANK		

To calculate the amount of water and concentrate that you will need, multiply your tank volume by each of the numbers listed, in either liters or gallons. For example, if you have a 10 liter tank, 10x990 ml = 9.90 liters of water and 10x10 ml = 100 ml of concentrate.

1000 ml = 1 Liter 128 oz = 1 gallon

**SHELF LIFE**

	Concentrate	Replenisher	Working Tank
Time	U = 24 Months O = 8 Weeks	4 Weeks	2 Weeks
Color	Clear, Amber	Clear, Pale Amber	Clear, Pale Amber
Odor	No Odor	No Odor	No Odor

U = Unopened, O = Opened

The data contained in this photographic bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by either FUJIFILM Hunt Chemicals, Inc. or any of its affiliates, and all such warranties, implied or otherwise, including any implied warranty of merchantability, are hereby expressly disclaimed. You, of course, are fully responsible for any use and / or domestic or foreign sale of the product(s) described, and nothing in this photographic bulletin shall be construed to constitute permission or a recommendation to practice any invention covered by patent or patent application or know-how owned by FUJIFILM, its affiliates, or others.

**Bulletin Number: TB816523**

Effective: January 2010

Replaces Bulletin Dated: October 2004

Fujifilm Hunt Chemicals, Inc.  
40 Boroline Road  
Allendale, New Jersey 07401

**FUJIFILM**

**Technical Hotline**  
**1-800-526-0851 Ext. 10**