



CP RA Bleach Fix & Replenisher
For Processing Fujicolor CA and Process RA-4 Compatible Color Papers

Catalog Number: 825611 (6 x 5 L)

DESCRIPTION

This product is a standard bleach fix intended for use in the RA-4 process. This product incorporates our odor free technology, and is designed for use in all RA-4 processors having low to moderate production volumes.

SAFE HANDLING INSTRUCTIONS

Please refer to Material Safety Data Sheets (MSDS) for specific chemical details. For emergencies, please contact CHEMTREC at 1-800-424-9300. You can obtain an MSDS by calling the Fuji Hunt Technical Hotline at 1-800-526-0851 Ext. 10.

HMIS INFORMATION

Hazardous Materials Identification System. Please refer to Section 3 in the MSDS for further information.

	Concentrate		Replenisher & Working Tank
	Part A	Part B	
Health	1	1	1
Flammability	0	0	0
Reactivity	0	0	0
Personal Protection	C	B	C

SPECS & RECOMMENDATIONS

Temperature	32° – 38° C 90° – 100° F
Processing Time	45"
Starting Replenishment Rate	215 ml / m ² 20 ml / ft ²

SPECIFIC GRAVITY & pH

	pH @ 25° C	SpG @ 20° C	SpG @ 35° C
Replenisher Tank	5.80 ± 0.10	1.073 ± 0.005	1.067 ± 0.005
Fresh Tank	5.80 ± 0.10	1.073 ± 0.005	1.067 ± 0.005
Seasoned Tank	6.65 ± 0.20	1.065 ± 0.010	1.059 ± 0.010

MIXING INSTRUCTIONS – REPLENISHER

R	Water 95° – 105° F (35° – 41° C)	Concentrate	
		Part A	Part B
5 Liters	3.6 L	600 ml 1 Bottle	800 ml 1 Bottle
1 Liter	720 ml	120 ml	160 ml
1 Gallon	92.16 oz	15.36 oz	20.48 oz

To Make 5 Liters:

1. Start with 3.4 liters of warm water.
2. Add 1 bottle part A. Rinse bottle with 100 ml of water and add to mix tank. Mix using 20 strokes.
3. Add 1 bottle part B. Rinse bottle with 100 ml of water and add to mix tank. Mix using 20 strokes or until uniform.

MIXING INSTRUCTIONS – WORKING TANK

W	Water 95° – 105° F (35° – 41° C)	Concentrate	
		Part A	Part B
1 Liter	720 ml	120 ml	160 ml
1 Gallon	92.16 oz	15.36 oz	20.48 oz
Tank Volume			
YOUR TANK			

To calculate the amount of water, Part A, and Part B that you will need, multiply your tank volume by each of the numbers listed, in either liters or gallons. For example, if you have a 100 liter tank, 10x720 ml = 7.2 liters of water, 10x120 ml = 1.2 liters of Part A, and 10x160 ml = 1.6 liters of Part B.

1000 ml = 1 liter 128 oz = 1 gallon

SHELF LIFE

	Concentrate		Repl.	Working Tank
	Part A	Part B		
Time	U = 18 Months O = 8 Weeks	U = 18 Months O = 8 Weeks	4 Weeks	1 Week
Color	Clear, Colorless	Clear, Reddish-Brown	Clear, Reddish-Brown	Clear, Reddish-Brown
Odor	Slight Sulfur Dioxide	No Odor	No Odor	No Odor

U = Unopened, O = Opened

The data contained in this photographic bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by either FUJI HUNT Photographic Chemicals, Inc. (FUJI HUNT) or any of its affiliates, and all such warranties, implied or otherwise, including any implied warranty of merchantability, are hereby expressly disclaimed. You, of course, are fully responsible for any use and / or domestic or foreign sale of the product(s) described, and nothing in this photographic bulletin shall be construed to constitute permission or a recommendation to practice any invention covered by patent or patent application or know-how owned by FUJI HUNT, its affiliates, or others.

Bulletin Number: TB825611
Effective: February 2004
Replaces Bulletin Dated: June 2001

Fuji Hunt Photographic Chemicals, Inc.
40 Boroline Road
Allendale, New Jersey 07401



Technical Hotline
1-800-526-0851 Ext. 10